

# "BEST SEX IN YEARS: Sex over 50"



## Message from the AIDS Committee of Newfoundland & Labrador (ACNL)



Normalizing sexuality is one of the purposes of the ACNL. ACNL's HIV & Aging Working Group's vision of this resource is to help our aging population become more comfortable talking about their sexual health with their partners, their physicians and health professionals. The working group's main objective is to bring awareness to senior sexual health and to keep our seniors safe in light of the dramatic increase in HIV and other sexually transmitted diseases in our senior population in Canada.

Funding was received from the New Horizons for Seniors Program (NHSP) sponsored by the Government of Canada. This program promotes the inclusion, the well-being and independence of seniors across Canada. This is achieved through supporting community initiatives and programs.

Thank you to Mary Ennis who researched and drafted the manual, members of the Working Group, the reviewers of this manual, the community organizations who distributed our survey, and the many seniors across the province who participated in our focus groups and surveys to determine the content of this resource.

We hope this manual is only the beginning of sexual health initiatives for seniors in Newfoundland & Labrador.

Gerard Yetman  
Executive Director

### Working Group

Krista Benson  
Anita Forward  
Shari Ritter  
Elizabeth Siegel  
Gail Wideman  
Gerard Yetman

### Reviewers

Jill Allison  
Sharon Buehler  
Pauline Duke  
Rob Ritter  
Gerri Rogers  
Marie Ryan

## WHAT WAS THE QUESTION?

Why *talk* about older adults and sex?

What is sex anyway?

What are the *benefits* of having sex?

What are some of the *myths* about older adults and sex?

What do we already know about sex and *aging*?

How can aging impact sex for women?

How can aging impact sex for men?

Can *medications* impact sex?

Does our *body image* impact our sexuality?

What are sexually transmitted infections (*STIs*)?

How can we have *safer* sex?

- *condoms* for men and how to use them
- *condoms* for women and how to use them
- oral *dams*

- *lubricants*: what to use and when to use them
- *sexual abuse*
- *dating abuse*
- *on-line* dating
- *testing for STIs*

How can we *enjoy* sex more?

- *masturbation*
- *sexual aids*
- romantic/erotic *books/movies*
- *shaking it up*
- *the little things*
- *sex without penetration*
- *new relationships*
- *taking care* of ourselves

Do we *talk* about sex?

- with our *partner/s*?
- with our *doctors*?

A Word to *Health Professionals*

Appendix: Information on STIs

References

## **WHY TALK ABOUT OLDER ADULTS AND SEX?**

The mission of the AIDS Committee of Newfoundland and Labrador (ACNL) is to promote healthy sexuality across the lifespan. People over 50 were 21% of all Canadians testing positive for HIV in 2013. Sexual contact was the main mode of transmission. This information likely surprises many who believe that older adults are not sexual beings and are no longer interested in sexual activity. The reality, however, is that the need for intimacy and affection is ageless. Critical knowledge from the 2013 data is that older adults also are in need of information to ensure their sexual safety.

In June of 2015 ACNL applied to the New Horizons for Seniors Program for funding to write a manual which would help our aging population to become more comfortable talking about our sexual health with our partners, doctors and other health professionals. The main objectives of this manual are:

- to inform older adults about sexual health and the importance of keeping ourselves safe in our pursuit of sexual fulfillment; and,

- To suggest ways we can enjoy sex in spite of health and physical changes as we age.

## **WHAT IS SEX ANYWAY?**

Sex is anything that makes us feel sexual – from a touch on the cheek to intercourse.



Sex is about closeness, being together, creating and maintaining a relationship. It includes emotional and intimate aspects such as love, warmth, caring, and sharing between individuals.

Sex may not always be within the context of a long-term relationship. It may be more casual – depending on one's sexual interests and life situation.

## **WHAT ARE THE BENEFITS OF HAVING SEX?**

Sexual activity is good for our physical and mental health. It can enhance our self-esteem and confidence. Sex burns calories and relieves stress. It can bring partners closer together.

## WHAT ARE SOME OF THE MYTHS ABOUT OLDER ADULTS AND SEX?

- Older adults are no longer interested in and do not have sex.
- The quality of sex lessens as we age.
- Sexually, women peak in their 30s, men in their late teens or early 20s.
- Neither women nor men can enjoy sex unless they have an orgasm.
- Older people don't get diseases from having sex.
- Older women can't get pregnant so their partners don't need to use condoms.
- There is no effective treatment for erectile difficulties.
- If you do have erectile difficulties, your sex life is over.



A number of these myths are clearly ageist. Ageism is defined here as prejudicial attitudes about older people and about aging. Ageism results in people assuming things that are false about themselves and others based on their age alone. These myths can sometimes stop us from

having meaningful conversations about sex with our doctors and our partners.

## WHAT DO WE ALREADY KNOW ABOUT SEX AND AGING?



It is normal for us to go through changes in sexual desire and

behaviour during our lives. Studies show that interest in sex continues. There is a decrease in penetrative sex, but not necessarily in other forms of intimacy. Although sex might not be the same as it was at a younger age, older adults can enjoy a healthy sex life. Reports show that most older adults are still enthusiastic about sex and intimacy.

Our health can impact our sexual activity. High blood pressure, diabetes, arthritis, chronic pain, hormonal issues, depression, anxiety, medications and other health-related illness or disease may have a negative effect on our sexual activity. If we are worried about our health, money, or just getting older, we may have difficulty focusing on the pleasure sex brings. If surgery requires use of a colostomy bag, for example, it may inhibit sexual activities,

especially with a new partner. People who have chest pains can fear having a heart attack while having sex.

It is important to talk to our partner about these concerns so we can negotiate sexual activity that works for both of us.

While the ability to engage in sexual activities may lessen at the end of life, we still have a need for intimacy. Family members and caregivers in particular must be aware of, and respect these feelings. It is important to allow time for a couple to be alone together during this time.

## **HOW CAN AGING IMPACT SEX FOR WOMEN?**

Aging often brings a number of physical changes for women, but our desire for intimacy does not necessarily change. After menopause many women feel



freer to enjoy sex. Many have the confidence and wisdom that often comes with age. We have become empowered enough to accept ourselves for who we are and can more easily voice our sexual needs and desires.

However, many women experience changes that may impact our sexual pleasure and/or cause discomfort and pain including:

- decrease in the natural production of hormones
- bone loss, fatigue, hot flashes, sleep problems with menopause
- decrease in vaginal secretions/natural lubrications
- decreased elasticity of the vagina
- thinning of vaginal walls
- shortening and narrowing of the vagina, dropping of the uterus with occasional protrusion into the vagina causing painful sex
- impact of hysterectomy and/or treatment for cervical cancer
- dropping of the bladder making the vagina feel full, causing urinary incontinence and painful sex
- dropping of the rectum into the vaginal wall

Some women may have concerns arising from having one or both breasts removed because of cancer. We may question whether we are still attractive in our partner's eyes or worry about loss of sensitivity in the breast area. Some breast cancer treatments,

such as chemotherapy, can cause hormonal changes and have a negative impact on a woman's interest in sex.

The development of prostate cancer in transgender women is very rare. This is an issue to discuss with one's health professional as it has been recommended that transwomen still get regular screening for prostate cancer even after sex-reassignment surgery.

## HOW CAN AGING IMPACT SEX FOR MEN?

As men get older, testosterone levels decline and changes in sexual behaviour are common. But men can still enjoy sex in spite of these changes, including:

- low testosterone levels, sometimes called male menopause or andropause, which can cause smaller testicles, less energy or mood changes
- prostate enlargement may cause erectile difficulty
- hardening of the arteries and veins in the penis can decrease blood flow, causing a less intense erection, or result in needing a longer time to get an erection

- reduction over time in the number of times a man can ejaculate
- increased need for more foreplay
- ejaculation without an erection
- penis can lose its firmness quickly after ejaculation



Some of us may have concerns about having all or part of the prostate removed because of cancer or other prostate problems.

This procedure may cause difficulty with erections for some. If we have difficulty obtaining or maintaining an erection or notice changes in the rigidity of the penis, we can talk with our partner about finding alternatives other than intercourse that are sexually fulfilling for both of us. In most cases it is still possible to have orgasms and ejaculate without an erection and there are many ways to enjoy sexual activity alone or with a partner. If problems persist or if we have difficulty talking about sexual activity with our partner we may wish to talk to our family doctor or a sex therapist to discuss other options.

It is important to note that trans men who still have a vagina will

need pap smears. Trans woman who still have a prostate will need prostate exams. Trans men who have breasts will need mammograms. It is important that their doctors be aware of what (if any) medical/surgical interventions they have had to ensure that they receive proper medical care.

### **DOES OUR BODY IMAGE IMPACT OUR SEXUALITY?**

Many of us have concerns about how our bodies look as we get older, i.e. sagging breasts, thickened waistlines, double chins, changes in the genital area which may make stimulation harder.



Other things that may impact our body image include sexual

abuse, emotional issues or medical conditions that result in changes to the body, i.e. mastectomy, penile surgery.

Negative body image sometimes can make it difficult to engage in sex at all, or to be comfortable enough to find enjoyment in it when we do. Some of us can benefit greatly from body image support groups. We should talk with our health professional about any concerns we have with our

body image and its impact on our sexual pleasure.

### **CAN MEDICATIONS IMPACT SEX?**

Some drugs such as blood pressure pills, heart medications, antidepressants and diabetes medication, can cause sexual problems for all of us.

Sexual side effects from some medications include:

- Decreased sex drive
- Decreased arousal
- Decreased ability to have an erection
- Delayed ejaculation
- Reduced volume of ejaculate
- Decreased ability to have an orgasm
- Decreased vaginal secretions



Some medications may not have sexual side effects but may have other side effects that can affect our sexual activity:

- Fatigue
- Nausea
- Constipation
- Dizziness
- Headache

It is a good idea to talk with our doctor if we experience any side effects that interfere with our sexual activity, to see if there are other medications available. We should be sure to ask about sexual side effects of any new prescriptions as well.

### **WHAT ARE SEXUALLY TRANSMITTED AND BLOOD BORNE INFECTIONS (STBBIs)?**

Sexually transmitted infections (STIs) are various infections that can be spread through some sexual activities. Infections carried in the blood and referred to as blood borne infections (BBIs) can be spread through contact with infected human blood and other potentially infectious body fluids such as semen and vaginal fluid.

Rates of STIs have been increasing in Canada since the 1990s, particularly among older adults. Even some retirement homes have seen a huge increase in STIs among residents.

STIs are passed from person to person through oral, anal and vaginal sexual contact, skin-to-skin genital contact, and/or sharing sex toys.

STIs are a serious health concern. Many STIs show no obvious signs or symptoms and can go

unnoticed and untreated. If left untreated, STIs can lead to serious long-term health problems such as certain forms of cancer, (i.e. cervical cancer in women, penile cancers, cancers of the mouth, throat and anus) genital discomfort (i.e. herpes), chronic health problems (i.e. Hepatitis B) and even death.

If we are sexually active, we should consider having sexual health testing a part of our regular physical examinations.

The good news:

- Most STIs can be cured.
- STIs that cannot be cured can now be well managed.

While the use of condoms and/or oral dams may reduce the risk of infections, they will not protect from all STIs. It is a good idea to keep our doctor informed about our sexual health and concerns. Ask to have regular tests for STIs especially if we have sex with more than one person or when we enter a new relationship.



## HOW CAN WE HAVE SAFER SEX?

### *Condoms and How to Use Them*

Condoms are the best protection against STIs. A male condom is a latex cover for the penis. It collects semen after a man ejaculates, so helps prevent the spread of STIs during vaginal and anal sex. Lubricated condoms should be used for vaginal and anal sex.

Because STIs can be spread from mouth to penis, we also should wear a condom during oral sex. A non-lubricated condom is recommended for oral sex since lubricated ones can have a bad taste.

Condoms can have a downside. They may slip off during sex; and they may break if not handled properly or during rough sex. Some people may be allergic to latex condoms. If someone is allergic to latex, ask they should ask their pharmacist for non-latex condoms.

To increase sensitivity for men while using a condom, a water-based lubricant can be put inside the tip of the condom before putting it on. Oil or petroleum

based lubricants can damage latex.

How to use a condom:

- check the expiry date on the condom before use
- open the package carefully to keep from tearing the condom
- put a drop or two of lubricant inside the tip of the condom
- put the condom on when the penis is hard and before having any genital contact
- place the rolled-up condom over the tip of your penis and leave about a half inch for semen to collect
- pinch the air out of the tip of the condom
- unroll it all the way to the base of the penis
- when finished having sex, hold the condom against the base of the penis while pulling out
- wrap the condom in a tissue and throw it away - do not flush it in the toilet.
- never use a condom more than once

By the way, if we lose a condom in our vagina and our partner can't remove it, we should see our doctor. Condoms and other objects have been known to get "lost" in the vagina. They can be removed!

### *Condoms for Women*

A female condom is a latex baggie-like condom worn loosely inside the vagina. They are used to prevent bodily fluids and semen from entering the body during penetrative sex, helping to prevent pregnancy and STIs. They may be put in up to eight hours before sex.

How to use a female condom:

-check the expiry date and that it appears in good condition.

-take the condom carefully out of the packet so that there is less chance of it ripping (don't use teeth and be careful with sharp fingernails or jewellery).

-sit, squat, lie or stand in a position the most comfortable, similar to how we would insert a tampon. Squeeze the smaller ring at the closed end of the condom and insert it into the vagina as far as it will go, making sure that it doesn't twist. The large ring at the open end of the condom will cover the area around the vaginal opening –

it is normal for this part to hang outside the body.

1. When we have sex the penis should enter into the condom, rather than between the condom and the side of the vagina. We can help guide our partner into us to ensure it goes in the right place.
2. After sex, twist the large ring to prevent semen from leaking out and gently pull the condom out. Then wrap the condom up and throw it away in the bin (it can block up the plumbing if put in the toilet).
3. Always use a new condom each time we have sex.



It is important that we do not use a female condom at

the same time we use a male condom. This can cause friction, and one or both condoms are more likely to tear. We can negotiate with our partner around which type of condom will best assure us both of safety, comfort and enjoyment.

If a condom breaks during sex, it is advised that we have a sexual health test. If we know we had sex

with someone who has HIV, we will need to visit a healthcare professional within 72 hours to receive treatment.

### *Oral Dams*

An oral dam is a thin square of latex that can prevent the spread of STIs during oral sex. Some stores may sell them or we can make our own using a condom.

The oral dam is placed over a woman's vulva before her partner performs oral sex on her. Oral dams can also be used by anyone to prevent STIs while "rimming", which is oral sex performed on a partner's anus. Use non-lubricated condoms when making our own oral dam.

*Did you know:* Oral dams are also called dental dams as they were first used by dentists working on a patient's teeth to prevent saliva from interfering with the dental work or to keep filling materials from being inhaled by the patient.

### *Lubricants: What to Use and When to Use Them*



Some people may be allergic to a certain kind of lubricant, so

it is important to test it before using it. Put a little of the lubricant on the inside of the elbow and wait a few hours to see if there is a negative reaction. If the skin gets red or itchy, we could ask our pharmacist to recommend another kind.

Water-based lubricants should be used, as oil-based lubricants can damage the condom. We can use oil for a massage as part of our sexual ritual, but the water-based is best for the condom.

## Why use a lubricant?

Lubricants can increase the pleasure of the activity, particularly if we:

- have anal sex
- experience dryness of the vagina
- have a big partner

Slowly spreading lubricant over one another's genitals can add to our arousal.

## *STI testing*



While honesty is the best policy in a relationship, some people find it very hard to talk about their sexual history with a partner. We do not have to tell

our partner exactly how many people we have had sex with. We also don't have to go into great detail about our experiences. We should be sensitive to our partner's feelings, and be honest about the important things: if we've had sex with more than one person; if we've had unprotected sex; if we've been – or never been – tested for STIs.

It is a good idea for both people entering into a relationship to be tested for STIs. If we have sex with more than one person,

regular STI testing is highly advised.

We need to be honest with our family doctor and/or nurse or nurse practitioner at our local community health clinic about our sexual activities. Talk with him/her about STI testing.

## *Sexual Abuse*

Sexual abuse is any sort of unwanted physical or verbal contact. Sexual abuse can happen to men or women of any age and can include:

- name calling used in the context of sex
- deliberately causing unwanted physical pain during sex
- having sex with someone without their consent
- deliberately passing on sexual diseases or infections
- forcing someone to watch pornography
- using objects, toys, or other items without their consent

Sex or sexual touching against one's will is sexual assault. We all

have the right to say “no” to sex and also the right to change our mind in the middle of having sex. If we were ever sexually abused, or think we have been sexually abused, peer support or support from a health professional might be very helpful. Another source of information and support is the Newfoundland and Labrador Sexual Assault Crisis and Prevention Centre.

Sexual abuse and violence can happen to people from all walks of life. It can happen in male-female or same-sex relationships, and it can happen at any time, early in the relationship or many months later.

### *Dating Abuse*

Abuse can happen when we are dating and can include someone:

- demanding all of our free time
- constantly sending messages to find out where we are and what we are doing
- being jealous
- pressuring us to do sexual things we are not comfortable with

- telling us they will kill or harm themselves if we leave them
- planning activities that keep us away from family or friends
- verbal abuse

### *On-Line Dating/Dating Practices*

Online chatting can be a good way to meet people and reduce loneliness for those who don't have the opportunities to meet new people socially.

It has also become quite common for people to use internet dating sites to find a future partner. Many users of on-line line dating are older adults. Studies have shown that while most people on these sites are genuinely honest and sincere, many seniors fall victim to financial scams, heartbreak and, worse, opening themselves up to STIs if they meet face to face.



When we are chatting with someone on-line, we likely don't know who the person really is or what they are really looking for. If we are communicating with someone

on-line and it doesn't feel right, it probably isn't.

### Beware of:

Someone who wants to meet us in person before we have a chance to get to know them better on-line.

Someone who wants that "first date" to be in a private location, e.g. his/her home.

Someone who asks personal questions such as how much we earn, the value of our home and/or whether we live alone

Someone who avoids answering questions to our satisfaction

Someone who asks for revealing photos

### Safety Measures:

Protect our identity and personal information when putting our profile on a dating site:

- don't put our surname or other identifying information in our username
- don't give any contact information, i.e. home address, telephone

number, e-mail address until we are sure if/when it is time to do so

Get to know people better before we agree to meet them.

Stop chatting with anyone who tries to get us to give them personal or financial information.

Never give money to someone we have just met. Why would someone want to "borrow" money from a stranger they met on-line?

Talk or text on our cell phone instead of our land line. It's fairly easy to find our home address if someone has our number.

### Meeting in Person:

- Meet in a public place such as a coffee shop at a time when there are a lot of people.

- Let someone know where we are going and when.

- Use our own or public transportation.

- Do not consume any substance - e.g., alcohol, which might dull our senses.

- Don't leave a drink of any kind on the bar or table – take it with us.

- Bring our cell phone with us or money for a payphone, and have money for a taxi.

- Keep personal items, such as a purse or wallet, with us if we leave the table for any reason.

- Leave if we feel uncomfortable.

### Those first few weeks:

Be very careful if someone says they are falling, or have fallen in love with us. It's usually too fast for that to happen.

If the relationships turn to intimacy, never have sex without using protection (condom or oral dam) no matter what they want.

Do not cut friends and family out of our life, and do not let the other person pressure us into doing so. Value the opinions of trusted friends and family.

Don't play with someone's emotions. If it isn't working, end it.

## **HOW CAN WE ENJOY SEX MORE?**

Now it's time for the fun stuff.....



### *Masturbation*

Masturbation is touching our own body for sexual pleasure and is a natural activity for men and women. Many older adults in today's society were taught at a young age that masturbation was harmful, that it would make a boy's penis fall off or lead to mental illness. This is all false.

Masturbation does not put our health at risk. It may cause skin irritation but using a lubricant can help keep that from happening. Self-love, as masturbation is sometimes called, can help both all of us learn the right touches to become aroused and reach orgasm. It can help us to show our partner how best to sexually satisfy us.

### *Sexual aids*

Sexual aids and sex toys, whether we use them alone or with a

partner, can bring hours of sexual pleasure.

Products such as male masturbators, penis rings, strokers with erect penis, female vibrators, dildos, booty gloves, anal vibrators, prostate massagers, strap-on vibrating penises, and more are available on-line or at a local sex boutique.

There are sex toys for everyone, but we need to take care when buying them. Look for any warnings that come with the item. Penis rings, for example, should not be used if one bleeds easily or has a blood clotting disorder or diabetes. Sex toys sometimes can cause body changes, such as pain or loss of sensation. If we get any side effect from a sex toy, see the doctor and let him/her know what happened. Likewise, if we have any concerns at all about using a certain sex toy, talk with the doctor or a sex therapist.

Generally, sex toys are safe if we take care of them – use them properly and keep them clean. This is very important because sex toys can pass on STIs and blood-borne infections. We should cover sex toys such as vibrators with a new condom before someone else uses them. Not sharing toys or having a different set for each

partner can help prevent STIs from spreading.

Sex toys should come with cleaning instructions, and it is important that we follow them. There are different ways to clean sex toys depending on the material they are made of. We should also clean them after using them on different parts of the body. Always clean sex toy before moving from anal region to genital region so as not to transfer bacteria. Check them regularly for tears or nicks that could cause infection.

#### *Romantic/erotic movies and books*

Seniors can also spice up the sex by enjoying romantic – or erotic – books and movies, whether alone or together. They're great for the imagination and getting in the mood for sex. They can also help us open up to our partner and share sexual fantasies. Who knows where that can lead!

#### *Shake it up!*

Try different positions and different rooms in the house when having sex. Have sex standing up. Experimenting with different positions can help us find the most comfortable ones if we have chronic pain or a disability. And we need to make sure we have sex in

safe environments so we don't fall or otherwise hurt ourselves.

Try Sideways sex or the Squat. If we're gay, there's the Crab and the Dog and lots more. For lesbians there's the Double Duty, the Breast Enhancer, the Sexy Spider and still more.

Try different times of day, maybe in the morning if we have more energy then. And take our time – discover how sensual our entire body is.

#### *The little things:*

Light some candles  
Give one another a massage  
Put on some mood music



Shower together

Buy sexy lingerie.

*Sex without penetration*

A good sex life is also about intimacy and touch and great satisfaction can be had from cuddling, kissing, petting. Even if we are ill, we can still enjoy being close to another person.

#### *New relationships*



Many of us find that after separation or divorce or the death of a partner, our thoughts turn to a new relationship.

Often, however, we are anxious about beginning to date again or having sex with someone new. We may grieve over the loss of our relationship and particularly if our partner has passed away, feel guilty about wanting a new relationship. These are perfectly normal feelings to have.

Often it helps to talk with our family and close friends and consider any advice they may give. We might be surprised how supportive they are of our finding someone new. It is wise, however, not to rush into relationships until we are sure we are ready for them. Starting to date again can be healthy, but can take courage. The rewards, however, can make it all worthwhile

#### *Taking care of ourselves*

- Eat healthy
- Exercise regularly, i.e. daily walk
- Engage in relaxing activities, i.e. reading

- Get enough sleep
- Watch our alcohol intake
- Do not smoke

## DO WE TALK ABOUT SEX

*.....with our partner/s?*

We need to take time to talk with our partner about sex, our needs, what turns us on, and what doesn't. Talk about the changes that are happening to us because we're getting older and any concerns we have about them. We may discover a new closeness from having a better understanding of the changes that are occurring in both of us. Even if we find it hard, talking openly and honestly with our partner about sex can help both of us to enjoy our sexual experiences even more.

Pick a quiet time to talk, touch often during the conversation and make it clear that we want to know our partner's thoughts and concerns as well. Be playful, and discuss new ideas.



*.....with our doctor/s?*

Many older adults would like to talk about sex with their doctors. We are often worried that our sex life might be affected by chronic illnesses, surgeries, disabilities and new relationships.

Older adults are often reluctant to raise the subject of their sexual activities with their doctors for any number of reasons. We may be embarrassed to talk about sex, especially with a young doctor or a doctor of the opposite sex. We may think our doctor will judge us for engaging in certain sexual activities or for having sex at all at our age. We may have been taught that sex is private between two individuals and should not be talked about with others.

Older gay, bisexual and other men who have sex with men are often reluctant to seek health care for fear of discrimination. Older lesbian and bisexual women and women who have sex with women also have reported that they are less likely to talk with their doctors because of past experiences with health care professionals.

A recent study found that transgender older adults were at a much higher risk of poor health, depression, stress and disability compared to non-transgender LGBTQ peers. Again, it was found that transgender older adults were

reluctant to access health services.

Communication with our health providers is important. Whatever reasons people have for not talking with their doctors about sex can be harmful physically and/or emotionally. We may have an STI without knowing it, and our doctor has no reason to check for it. Some older adults who have certain illnesses or conditions may stop having sex altogether because they do not know that there may be medical procedures or medications to help them continue being sexually active. Some may not know that you can enjoy sex without penetration.

A sex therapist is trained to help us work through our feelings about how getting older or becoming ill can affect our sexual activities. They can also make suggestions for staying sexual.

## **A WORD TO MEDICAL PROFESSIONALS**



Doctors have reported being uncomfortable talking about sex with older adult patients or

patients of the opposite sex. Some doctors may not see older adults as being sexual, particularly older adults with medical conditions or disabilities. Yet a person's sexual health can play a huge role in their overall health.

Sexual history can be as important as a patient's medical history in helping to decide if STI testing, for example, is needed. Past sexual experiences and relationships can have a big impact on a patient's mental health, and you, as doctors, need to know this in order to provide the proper treatment.

If a patient is lesbian, gay, bisexual or transgender, it may be more difficult to talk to a doctor about sex. It is important that you, as health professionals, become more knowledgeable about and sensitive to their issues. Have LGBTQ literature openly available in your office and find other ways to let LBGP patients know they are welcome.

It is helpful if medical professionals provide easily available information for older patients on sexual health. Mentioning things like lubricant and sex toys as part of the conversation on maintaining a healthy sex life can open up opportunities for older adults to ask more questions.

People who are engaged in non-traditional or non-heterosexual relationships are at higher risk of depression and anxiety. They may have been rejected by loved ones, abused and discriminated against. Some older adults may be transitioning in their sexuality or gender identity and need support. Depression can lead to risky sexual behaviours.

If patients do not initiate discussions about their sexual history and activities, their doctors should do so. In terms of surgeries that can impact a patient's sense of "wholeness", e.g. surgeries of the genitals or breasts and surgeries that result in use of colostomy bags, for example, doctors need to be sensitive to unvoiced concerns and unasked questions.

It can benefit both parties if you:

- Provide a Safe Environment
- Establish Trust
- Are Respectful
- Don't make Assumptions
- Listen and Validate

For a host of reasons, many noted in this manual, patients and health care professionals need to open up about sex. It is also important to support older adults who might be thinking about a new

relationship after the loss of a partner. Sex can be lifelong despite chronic disease and disability, and it can bring much pleasure. But it can expose us to STIs as well. Older adults deserve to enjoy the pleasures of sex and keep themselves safe while they do so.

So....if the discussion hasn't started already, let's go for it!

## APPENDIX

**Syphilis** is a bacterial STI that can be spread through vaginal, anal and/or oral sex, sharing of equipment for injecting or snorting drugs and deep wet kissing. Some symptoms include: an open sore at the point of infection, flu-like illness, muscle aches and pains, fatigue, and/or a rash on the chest, back, palms of the hands and bottoms of the feet. If detected early, syphilis can be treated and cured with an antibiotic injection. If left untreated, syphilis can lead to blindness or stroke.

The human immunodeficiency virus (**HIV**) is a sexually transmitted infection that can also be spread by contact with infected blood, i.e. sharing needles with an infected partner.

Acquired immunodeficiency syndrome (**AIDS**) is a chronic, potentially life-threatening condition caused by HIV.

To date, there is no cure for HIV/AIDS, but there are medications that can slow the disease's progression. Some symptoms of HIV are: fatigue, hot flashes, trouble sleeping, forgetfulness and emotional changes. People who have HIV/AIDS are at greater risk of getting other sexually transmitted

infections and other serious infections.

**Chlamydia** is an STI caused by bacteria from having oral, vaginal or anal sex without a condom with an infected person. You may have no symptoms but can still pass it on to someone else. Symptoms in women can include increase in vaginal discharge; itchy vagina; a little bleeding; bleeding during or after vaginal sex; pain in the lower abdomen; and/or pain when you urinate. Symptoms in men can include a burning feeling when you urinate; watery or milky discharge from the penis; burning or itching around the opening of your penis; and/or pain in your testicles. It can be cured with antibiotics.

**Gonorrhea** is an STI caused by bacteria from having oral, vaginal or anal sex with an infected person. You may have no symptoms but can still pass it on to someone else. Symptoms of gonorrhea affect the genitals and urinary tract. Symptoms in women can include increase in vaginal discharge; itchy vagina; a little bleeding; bleeding during or after vaginal sex; pain in the lower abdomen; and/or pain when you urinate. Symptoms in men can include a burning feeling when you urinate; a thick greenish-yellow

discharge from your penis; burning or itching around the opening of your penis; and/or pain in your testicles. It can be cured with antibiotics.

**Hepatitis B** is a virus that can damage the liver, even causing liver cancer. You can get it from an infected person through their semen, vaginal fluid or saliva. It can be passed on through oral, vaginal or anal sex with an infected person; and can also be passed on by sharing personal items such as a toothbrush or razor. It can also be transmitted through sharing of infected needles or through blood transfusions infected with Hepatitis B. Symptoms can include tiredness, abdominal pain, yellowing of skin, loss of appetite, nausea, strange color urine or stool. There is no cure for Hep B, but there is a vaccine that prevents you from getting it.

**Hepatitis C** is a virus that can cause liver damage. You can get Hep C by sharing drug equipment and/or personal items such as razors and toothbrushes that might have blood from an infected person on them and/or re-using tools for activities that break the skin, e.g. body piercing, acupuncture. Hep C can also be passed through unprotected sex during a woman's period, during

anal sex/ rough sex and/or when one person has open sores. For about 25% of the people who get Hep C, the virus goes away on its own during the first six months after infection. There is no vaccine for Hep C, but there is treatment.

**Herpes (HSV)** is a sexually transmitted virus spread through skin to skin contact with an infected person. Herpes Simplex 1 (the common cold sore) appears in the mouth area and can spread to the genitals through oral sex. Herpes Simplex 2 is commonly found on the genital area and can be transmitted to the mouth by oral sex. Symptoms can vary from one sore to clusters of small blisters on the penis, scrotum, vulva (lips of the vagina) or anus. Even when there are no obvious sores or signs of infections, the virus can be passed on. See your health care provider as soon as any visible signs appear or if you are concerned that you may have been exposed to an STI. There is no cure for herpes, but medications can help ease symptoms, reduce further episodes and prevent the spread of herpes.

**Human Papilloma Virus (HPV)** is the most common viral STI, with more than 30 different types. It is spread by an infected person through oral, anal and/or vaginal

sex. Some strains of HPV cause genital and anal warts. Other strains of HPV can cause forms of cervical, genital and anal cancers. Symptoms of HPV are small, painless, cauliflower-shaped warts or flat lumps which may be visible in the genital area. Some warts may be so small that they are not visible. In women, warts may appear on the vulva (lips of the vagina), inside the vagina, on the cervix, or around the anus. In men, warts may appear on the penis, pubic area, around the anus, and/or on the testicles. If you think you have been exposed to HPV or see visible signs of genital warts, see your doctor. There is no cure for HPV; however visible genital warts can be treated using methods such as freezing, chemical paint, or cream. Internal warts can be removed surgically or through laser treatments. It is important for women to continue to have pap smears especially if you change partners.

***Trichomoniasis*** (also known as “trich”) is caused by the parasite *Trichomonas Vaginalis* and is spread through sexual contact without a condom. There may be no noticeable symptoms with trichomoniasis, but some people notice some symptoms in their genitals and urinary tract. Women may experience foul smelling yellow/green vaginal discharge,

vaginal itching, and pain during urination and/or sex. Men may experience painful urination, itching and redness at the top of the penis as well as a slight discharge. Trichomoniasis is tested in women using a vaginal swab, but it can be difficult to diagnose in men. It is important to discuss your symptoms with your healthcare provider. Men are treated for trichomoniasis if a sexual partner has been diagnosed with the infection. Some men who have been treated for chlamydia and gonorrhea will still have symptoms such as painful urination and itchy penis. In these cases, they may also need treatment for trichomoniasis. Trichomoniasis is treated with an antibiotic.

***Pubic Lice*** (also known as “crabs” because they are small crab like organisms) are spread by close physical contact where pubic or other hair touch and through contact with bedding, towels or clothing that is infested with pubic lice. They primarily live in pubic hair but can be present in hair under the arms, chest hair and even eyelashes and eyebrows. Condoms offer no protection against public lice. Symptoms include Intense itching in areas of the body where there is pubic hair or other hair. Over the counter lotion or shampoos are available

to treat pubic lice. It is important to pay close attention to the directions given with these products, as the eggs produced by the pubic lice will often need to be removed using a lice comb or your fingers. Lice eggs may also be found in your bedding, clothing and towels which should be cleaned using hot water and dried in a dryer on the hottest setting to kill the eggs.

## WOULD YOU LIKE MORE INFORMATION? –

Check out our references:

### *Myths*

<http://www.oregon.gov/dhs/apd-dd-training/EQC%20Training%20Documents/Myths%20and%20Stereotypes%20of%20Aging.pdf>

[https://courses.cit.cornell.edu/psych431\\_nbb421/student2000/dp51/myth\\_vs\\_fact.html](https://courses.cit.cornell.edu/psych431_nbb421/student2000/dp51/myth_vs_fact.html)

### *Sex and Aging*

[http://consumer.healthday.com/encyclopedia/aging-1/misc-aging-news-10/sex-and-seniors-the-70-year-itch-647575.html?utm\\_expd-38353063-4.pIV1hUrQR8K\\_MJ1\\_OqjLag.0&utm\\_referrer=https%3A%2F%2Fwww.google.ca%2F](http://consumer.healthday.com/encyclopedia/aging-1/misc-aging-news-10/sex-and-seniors-the-70-year-itch-647575.html?utm_expd-38353063-4.pIV1hUrQR8K_MJ1_OqjLag.0&utm_referrer=https%3A%2F%2Fwww.google.ca%2F)

[http://sexualityandu.ca/uploads/files/CTR\\_BodyImage-JULY2011Eng.pdf](http://sexualityandu.ca/uploads/files/CTR_BodyImage-JULY2011Eng.pdf)

<http://www.globalaging.org/health/us/sexelderly.htm>

<http://www.mayoclinic.org/healthy-lifestyle/healthy-aging/in-depth/easy-bruising/art-20045762>

<http://www.mayoclinic.org/healthy-lifestyle/sexual-health/basics/sex-and-aging/hlv-20049432>

<http://www.sexualityandu.ca/sexual-health/keeping-your-sex-life-fun-and-active>

<http://www.sexualityandu.ca/sexual-health/sex-over-fifty/aging-men-and-sex>

<http://www.webmd.com/healthy-aging/guide/sex-aging>

<http://www.webmd.com/healthy-aging/guide/sex-aging?page=2>

<http://www.webmd.com/sexual-conditions/ss/slideshow-sex-drive-killers>

### *Sexual Health*

<http://blogs.webmd.com/womens-health/2012/05/oh-no-where-did-it-go-when-things-get-lost-in-the-vagina.html>

[http://ca.askmen.com/daily/austin\\_150/155\\_fashion\\_style.html](http://ca.askmen.com/daily/austin_150/155_fashion_style.html)

<http://familydoctor.org/familydoctor/en/prevention-wellness/sex-birth-control/sex-sexuality/chronic-illness-how-it-can-affect-your-sex-life.html>

<http://projects.huffingtonpost.com/cliteracy/history>

<http://recapp.etr.org/re>

<http://recapp.etr.org/recapp/index.cfm?fuseaction=pages.LearningActivitiesDetail&PageID=167>

<http://www.avert.org/sexuality-and-safer-sex.htm>

<http://www.beaumont.edu/urology/mens-urology/penile-conditions-and-diseases/types-of-penile-conditions-and-diseases/>

<http://www.calgarysexualhealth.ca/sexual-health-info/gender-identity/#understandingtransphobia>

<http://www.cancercare.mb.ca/>

<http://www.hc-sc.gc.ca/hl-vs/iyh/vsv/life-vie/sedniors-aines-eng.php>

<http://www.healthline.com/health/healthy-sex-and-aging#Overview1>

<http://www.helpguide.org/articles/aging-well/better-sex-as-you-age.htm>

<http://www.mayo.edu/pmts/mc7900-mc7999/mc7900-0915.pdf>

<http://www.mayoclinic.com/health/erectile-dysfunction/ds00162>

<http://www.mayoclinic.org/healthy-lifestyle/sexual-health/basics/womens-sexual-health/hlv-20049432>

<http://www.mayoclinic.org/healthy-lifestyle/sexual-health/expert-answers/loss-of-sex-drive/faq-20058237>

<http://www.mayoclinic.org/healthy-lifestyle/sexual-health/in-depth/sexual-health/art-20046698>

<http://www.mayoclinic.org/healthy-lifestyle/sexual-health/in-depth/sexual-health/art-20046698?pg=1>

<http://www.mayoclinic.org/healthy-lifestyle/sexual-health/in-depth/testosterone-therapy/art-20045728>

<http://www.mayoclinic.org/healthy-lifestyle/womens-health/in-depth/health-issues-for-lesbians/art-20047202>

<http://www.mayoclinic.org/healthy-living/mens-health/in-depth/health-issues-for-gay-men/art-20047107>

<http://www.mayoclinic.org/healthy-living/sexual-health/in-depth/senior-sex/art-20046465>

<http://www.mayoclinic.org/healthy-living/womens-health/in-depth/health-issues-for-lesbians/art-20047202>

<http://www.mayoclinic.org/tests-procedures/penis-pump/basics/risks/prc-20013151>

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3758950/>

<http://www.nhs.uk/chq/pages/Category.aspx?CategoryID=118>

<http://www.transfaithonline.org/inte-rsections/cancer/prostate/>

[http://www.virtualhospice.ca/en\\_US/Main+Site+Navigation/Home/For+Professionals/For+Professionals/The+Exchange/Current/Sexuality+at+the+End+of+Life.aspx](http://www.virtualhospice.ca/en_US/Main+Site+Navigation/Home/For+Professionals/For+Professionals/The+Exchange/Current/Sexuality+at+the+End+of+Life.aspx)

<http://www.webmd.com/sexual-conditions/ss/slideshow-sex-drive-killers>

<https://nwhn.org/strategies-staying-sexual-after-menopause>

<https://www.aasect.org/how-chronic-illness-can-affect-sexual-function>

<https://www.cancer.ca/~media/cancer.ca/CW/publications/Sexuality%20and%20cancer/Sexuality-and-cancer-2012-EN.pdf>

<https://www.nlm.nih.gov/medlineplus/ency/article/003975.htm>

[www.sexualityandu.ca](http://www.sexualityandu.ca)

## *STBBIs*

<http://assets.aarp.org/rgcenter/health/mmsexsurvey.pdf>

[http://librarypdf.catie.ca/pdf/ATI-40000s/40239\\_B.pdf](http://librarypdf.catie.ca/pdf/ATI-40000s/40239_B.pdf)

[http://librarypdf.catie.ca/pdf/ATI-40000s/40239\\_C.pdf](http://librarypdf.catie.ca/pdf/ATI-40000s/40239_C.pdf)

<http://ninecircles.ca/services/hiv-testing/sex-toys-and-hiv.html>

<http://www.ashasexualhealth.org/stdsstis/get-tested/>

<http://www.catie.ca/en/catienews/2015-09-28/impressive-gains-survival-older-people-hiv-still-less-general-population>

<http://www.catie.ca/en/hiv-canada>

<http://www.catie.ca/en/practical-guides/managing-your-health/18>

<http://www.catie.ca/en/practical-guides/managing-your-health/18>

<http://www.catie.ca/en/resources/hiv-and-aids-canada-surveillance-report-december-31-2013>

<http://www.catie.ca/sites/default/files/QA-STI-EN-FINAL.pdf>

[http://www.cdnaids.ca/files.nsf/pages/hiv\\_aging\\_1-introduction-factsheet/\\$file/HIV\\_aging\\_1-Introduction-FactSheet.pdf](http://www.cdnaids.ca/files.nsf/pages/hiv_aging_1-introduction-factsheet/$file/HIV_aging_1-Introduction-FactSheet.pdf)

<http://www.easternhealth.ca/Web/nWeb.aspx?d=3&id=1813&p=1552>

<http://www.easternhealth.ca/Web/nWeb.aspx?d=3&id=1817&p=1552> STIs

<http://www.easternhealth.ca/Web/nWeb.aspx?d=3&id=1819&p=1552>

<http://www.easternhealth.ca/Web/nWeb.aspx?d=3&id=1820&p=1552>

<http://www.easternhealth.ca/Web/nWeb.aspx?d=3&id=1846&p=1552>

<http://www.nhs.uk/Livewell/STIs/Pages/Sexualactivitiesandrisk>

<http://www.nhs.uk/Livewell/STIs/Pages/Sexualactivitiesandrisk.aspx#Vaginal>

<http://www.nhs.uk/Livewell/STIs/Pages/Sexualactivitiesandrisk.aspx#Oral-sex>

<http://www.nhs.uk/Livewell/STIs/Pages/Sexualactivitiesandrisk.aspx#Anal>

[http://www.phac-aspc.gc.ca/aids-sida/publication/epi/2010/pdf/EN\\_Chapter6\\_Web.pdf](http://www.phac-aspc.gc.ca/aids-sida/publication/epi/2010/pdf/EN_Chapter6_Web.pdf)

<http://www.phac-aspc.gc.ca/aids-sida/publications/epi/2010/6-eng.php>

<http://www.phac-aspc.gc.ca/std-mts/rp/ippoa-pipoa/index-eng.php>

<http://www.theglobeandmail.com/life/health-and-fitness/health-advisor/seniors-are-having-sex-and-some-are-getting-stis-along-with-it/article27565444/>

<https://www.nichd.nih.gov/health/topics/stds/conditioninfo/Pages/cancer.aspx>

<https://www.nichd.nih.gov/health/topics/stds/conditioninfo/Pages/cancer.aspx>

<https://www.poz.com/basics/hiv-basics/hiv-transmission-risks>

<https://www.poz.com/basics/hiv-basics/hiv-transmission-risks>

<https://www.roguecc.edu/onlinetes/safety/bbpinfo4.asp>

<https://www.washingtonpost.com/news/science/wp/2015/12/28/gonorrhea-may-soon-be-untreatable-britains-chief-medical-officer-warns/>

*Condoms/Dams and How to Use Them*

<http://www.avert.org/sex-stis/safer-sex-hiv/female-condoms>

<http://www.cdc.gov/condomeffectiveness/brief.html>

<http://www.fda.gov/ForPetients/Illnesses?HIV/AIDS/ucm126372.htm>

<http://www.sexualityandu.ca/search/results/8ab446664e9e234e01c19c004afee53a/>

<http://www.sexualityandu.ca/stis-stds/how-do-i-protect-myself-from-stis-stds/male-condom>

<http://www.sexualityandu.ca/stis-stds/how-do-i-protect-myself-from-stis-stds/dental-dam>

<http://www.sexualityandu.ca/uploads/files/Demonstrationusingacondomproperly.pdf>

<http://www.wikihow.com/Use-a-Condom>

[https://en.wikipedia.org/wiki/Dental\\_dam](https://en.wikipedia.org/wiki/Dental_dam)

<https://www.plannedparenthood.org/learn/birth-control/condom>

### *Abuse/Violence*

<http://www.mayoclinic.org/healthy-living/adult-health/in-depth/domestic-violence/art-20048397>

[\[depth/domestic-violence-against-men/art-20045149\]\(http://www.mayoclinic.org/healthy-living/adult-health/in-depth/domestic-violence-against-men/art-20045149\)](http://www.mayoclinic.org/healthy-living/adult-health/in-</a></p></div><div data-bbox=)

<http://www.pandys.org/whatissexualabuse.html>

[http://www.vawlearningnetwork.ca/sites/vawlearningnetwork.ca/files/IPv\\_Knowledge-Exchange\\_Final\\_Report.pdf](http://www.vawlearningnetwork.ca/sites/vawlearningnetwork.ca/files/IPv_Knowledge-Exchange_Final_Report.pdf)

### *Dating*

<http://cms.carepages.com/CarePages/en/ArticlesTips/FeatureArticles/Contributors/starting-over-after-the-loss-of-a-spouse.html>

<http://jarridwilson.com/10-healthy-dating-practices/>

<http://www.shape.com/lifestyle/sex-and-love/how-be-friendly-not-flirty-male-friends>

### *On-Line Dating*

<http://cybercrimenews.norton.com/eye-fi/feature/emerging-threats/internetdating-dangers/index.html#axzz41aggSth6>

<http://datingasociopath.com/sociopath-character-traits/cunning-and-manipulative/i-love-you/online-datingdangers/>

<http://friendsandlovers.com/internet-dating-risks-and-benefits.html>

<http://mashable.com/2013/09/04/online-dating-tips/>

<http://www.aarp.org/relationships/love-sex/info-07-2011/online-dating-tips.html>

<http://www.foxnews.com/tech/2014/04/28/50-plus-online-daters-beware-singles-over-50-more-at-risk-for-online-dating.html>

<http://www.senior-dating.org/how-to-know-when-you-are-being-scammed-%E2%80%93-part-one>

<https://www.getsafeonline.org/social-networking/online-dating/>

<https://www.getsafeonline.org/social-networking/online-dating/>

### *Sex Positions*

<http://kalebsutra.tumblr.com/>

<http://www.cosmopolitan.com/sex-love/positions/g4090/mind-blowing-lesbian-sex-positions/>

<http://www.goodtoknow.co.uk/relationships/galleries/9278/top-20-sex-positions>

<https://au.lifestyle.yahoo.com/womens-health/sex-and-love/g/9051803/35-sex-positions/>

<https://www.youtube.com/watch?v=1Pfa07ijUCE>

### *Lubricants*

<http://www.alternet.org/sex-amp-relationships/whats-best-natural-sexual-lubricant-you-might-be-surprised>

### *Sex Toys and Safety*

<http://ninecircles.ca/services/hiv-testing/sex-toys-and-hiv.html>

<http://www.health24.com/Lifestyle/Man/Your-body/Penis-ring-facts-20120721>

<http://www.nhs.uk/chq/pages/1690.aspx?categoryid=118&subcategoryid=122>

<https://www.pinkcherry.ca/?gclid=CJLym8Kv1MoCFQ2HaQodMA8CQQ>

### *Erotica/Romance*

<http://www.yourtango.com/experts/ande-lyons/want-more-intense-intimate-and-fulfilling-sex-life>

### *Talking about Sex*

<http://gensilent.com/>

<http://wsgm.stanford.edu/documents/MedicalStudentsPreparednessandComfortTLM2015.pdf>

<http://www.jfponline.com/specialty-focus/women-s-health/article/how-to-discuss-sex-with-elderly->

[patients/261bb488d17771b8f0df5c9644842ed9.html](http://patients/261bb488d17771b8f0df5c9644842ed9.html)

<http://www.psychedinsanfrancisco.com/sharing-scaring-deal-partners-sexual-past/>

<http://www.womansday.com/relationships/sex-tips/advice/a4734/7->

[tips-for-revealing-your-sexual-history-104794/](http://tips-for-revealing-your-sexual-history-104794/)

### *Sex Slang*

<http://onlineslangdictionary.com/thesaurus/words+meaning+to+masturbate.html>





Aids Committee of Newfoundland & Labrador  
47 Janeway Place  
St. John's, NL  
Canada A1A 1R7  
Phone (709) 579-8656  
1-800-563-1575  
Fax (709) 579-0559  
[acnl.net](http://acnl.net)